


SPARKS SYSTEM DOUBLE by Daniel Becker

Inspired by a sparkling fire, the designer created a modular lighting system consisting of three different modules with the ability to arrange various configurations to form a three-dimensional structure. The installation solutions are endless and fit in every architectural situation. Every module can be rotated freely in 360°, making the whole system easily adaptable to every possible situation. Assembling is easy due to the prewired modules that can be plugged together. Our team is available to help you with planning and designing it to suit your individual needs.

DIN	1ENSIONS		LIGHTSOURCE	FINISH	TYPE.NR
L	22,5 cm	8,9 inch	Ix led, 4.6W, 2700K, 376	Aluminium	14-15000-1
Н	34 cm	13,4 inch	LM	Black	14-15000-6
				Brass	14-15000-2
				Bronze	14-15000-5
				White	14-15000

STANDARD Sparks has an integrated 24Volt led and is supplied with plug and play cables. Leading and trailing edge dimmable.




SPARKS SYSTEM TRIPLE by Daniel Becker

Inspired by a sparkling fire, the designer created a modular lighting system consisting of three different modules with the ability to arrange various configurations to form a three-dimensional structure. The installation solutions are endless and fit in every architectural situation. Every module can be rotated freely in 360°, making the whole system easily adaptable to every possible situation. Assembling is easy due to the prewired modules that can be plugged together. Our team is available to help you with planning and designing it to suit your individual needs.

DIME	NSIONS		LIGHTSOURCE	FINISH	TYPE.NR
L	27 cm	10,6 inch	1 x led, 4.6W, 2700K, 376	Aluminium	14-15010-1
Н	33 cm	13,0 inch	LM	Black	14-15010-6
				Brass	14-15010-2
				Bronze	14-15010-5
				White	14-15010

STANDARD Sparks has an integrated 24Volt led and is supplied with plug and play cables. Leading and trailing edge dimmable.




SPARKS SYSTEM X by Daniel Becker

Inspired by a sparkling fire, the designer created a modular lighting system consisting of three different modules with the ability to arrange various configurations to form a three-dimensional structure. The installation solutions are endless and fit in every architectural situation. Every module can be rotated freely in 360°, making the whole system easily adaptable to every possible situation. Assembling is easy due to the prewired modules that can be plugged together. Our team is available to help you with planning and designing it to suit your individual needs.

DIM	IENSIONS		FINISH	TYPE.NR
Н	12 cm	4,7 inch	Aluminium	14-15020-1
W 13,5 cm	5,3 inch	Black	1 4-15020-6	
			Brass	14-15020-2
			Bronze	14-15020-5
			White	14-15020

STANDARD Sparks has an integrated 24Volt led and is supplied with plug and play cables. Not dimmable.




SPARKS SYSTEM T by Daniel Becker

Inspired by a sparkling fire, the designer created a modular lighting system consisting of three different modules with the ability to arrange various configurations to form a three-dimensional structure. The installation solutions are endless and fit in every architectural situation. Every module can be rotated freely in 360°, making the whole system easily adaptable to every possible situation. Assembling is easy due to the prewired modules that can be plugged together. Our team is available to help you with planning and designing it to suit your individual needs.

DIMI	ENSIONS		FINISH	TYPE.NR
Н	12 cm	4,7 inch	Aluminium	14-15030-1
W	14 cm	5,5 inch	Black	14-15030-6
			Brass	14-15030-2
			Bronze	14-15030-5
			White	14-15030

STANDARD Sparks has an integrated 24Volt led and is supplied with plug and play cables. Not dimmable.




SPARKS SYSTEM Y by Daniel Becker

Inspired by a sparkling fire, the designer created a modular lighting system consisting of three different modules with the ability to arrange various configurations to form a three-dimensional structure. The installation solutions are endless and fit in every architectural situation. Every module can be rotated freely in 360°, making the whole system easily adaptable to every possible situation. Assembling is easy due to the prewired modules that can be plugged together. Our team is available to help you with planning and designing it to suit your

DIMENSIONS FINISH TYPE NR Н 15 cm 5,9 inch 14-15040-1 Aluminium 12 cm 4,7 inch Black 14-15040-6 14-15040-2 Brass 14-15040-5 Bronze White 14-15040

STANDARD Sparks has an integrated 24Volt led and is supplied with plug and play cables. Not dimmable.




SPARKS SYSTEM by Daniel Becker

Inspired by a sparkling fire, the designer created a modular lighting system consisting of three different modules with the ability to arrange various configurations to form a three-dimensional structure. The installation solutions are endless and fit in every architectural situation. Every module can be rotated freely in 360°, making the whole system easily adaptable to every possible situation. Assembling is easy due to the prewired modules that can be plugged together. Our team is available to help you with planning and designing it to suit your individual needs.

DIMENSIONS FINISH TYPE.NR 0 3 cm 1.2 inch 14-15080-1 Aluminium 22,6 cm 89 inch 14-15080-6 Black 14-15080-2 Brass 14-15080-5 Bronze White 14-15080

STANDARD Sparks has an integrated 24Volt led and is supplied with plug and play cables. Not dimmable.



SPARKS SYSTEM by Daniel Becker

0

Inspired by a sparkling fire, the designer created a modular lighting system consisting of three different modules with the ability to arrange various configurations to form a three-dimensional structure. The installation solutions are endless and fit in every architectural situation. Every module can be rotated freely in 360°, making the whole system easily adaptable to every possible situation. Assembling is easy due to the prewired modules that can be plugged together. Our team is available to help you with planning and designing it to suit your individual needs.

DIMENSIONS FINISH TYPE.NR 1.2 inch 3 cm Aluminium 14-15050-1 22,6 cm 8,9 inch Black 14-15050-6 14-15050-2 Brass 14-15050-5 Bronze 14-15050 White

STANDARD Sparks has an integrated 24Volt led and is supplied with plug and play cables. Not dimmable.

SPARKS SYSTEM by Daniel Becker

Inspired by a sparkling fire, the designer created a modular lighting system consisting of three different modules with the ability to arrange various configurations to form a three-dimensional structure. The installation solutions are endless and fit in every architectural situation. Every module can be rotated freely in 360°, making the whole system easily adaptable to every possible situation. Assembling is easy due to the prewired modules that can be plugged together. Our team is available to help you with planning and designing it to suit your individual needs.



AN	IOPY		FINISH	TYPE.NR
	35 cm	13,8 inch	Aluminium	14-15060-1
/	5 cm 10 cm	2,0 inch 3,9 inch	Black	14-15060-6
٧	10 (11)	5,7 11101	Brass	14-15060-2
			Bronze	14-15060-5
			White	14-15060

STANDARD Leading and trailing edge dimmable. Maximal 15 lightheads on 1 driver:

H

W


SPARKS SYSTEM by Daniel Becker

Inspired by a sparkling fire, the designer created a modular lighting system consisting of three different modules with the ability to arrange various configurations to form a three-dimensional structure. The installation solutions are endless and fit in every architectural situation. Every module can be rotated freely in 360°, making the whole system easily adaptable to every possible situation. Assembling is easy due to the prewired modules that can be plugged together. Our team is available to help you with planning and designing it to suit your individual needs.

H | ______

DIM	ENSIONS		FINISH	TYPE.NR
Ø	3 cm	1,2 inch	Aluminium	14-15070-1
L	35 cm	13,8 inch	Black	14-15070-6
			Brass	14-15070-2
			Bronze	14-15070-5
			\A/bito	14 15070


STANDARD all components are supplied with plug and play cables.



SPARKS POI by Daniel Becker

There are many preconfigured standard models and sets of Sparks suspension or Sparks wall lamp for the basic needs. Every module can be rotated freely in 360°, making the whole system easily adaptable to every possible situation. Assembling is easy due to the prewired modules that can be plugged together.






SPARKS P02 by Daniel Becker

There are many preconfigured standard models and sets of Sparks suspension or Sparks wall lamp for the basic needs. Every module can be rotated freely in 360°, making the whole system easily adaptable to every possible situation. Assembling is easy due to the prewired modules that can be plugged together:

DIM	ENSIONS		CABLE LENGTH	FINISH	TYPE.NR
L	130 cm	51,2 inch	Up to 200 cm 78,7 inch	Aluminium	14-15309-1
H	98 cm 73 cm	38,6 inch 28,7 inch	LIGHTSOURCE	Black	14-15309-6
VV	/3 CIII	20,7 ITICIT	6x led, 4.6W, 2700K, 2256	Brass	14-15309-2
CAN	NOPY		LM	Bronze	14-15309-5
Ø	20 cm	7,9 inch		White	14-15309
Н	8,5 cm	3,3 inch	KG KG	VVIIICE	0 1113307
			7 8 57×57×57cm		

STANDARD The fixture is supplied with driver. Leading and trailing edge dimmable.




SPARKS P03 by Daniel Becker

There are many preconfigured standard models and sets of Sparks suspension or Sparks wall lamp for the basic needs. Every module can be rotated freely in 360°, making the whole system easily adaptable to every possible situation. Assembling is easy due to the prewired modules that can be plugged together.

DIM Ø H	ENSIONS 137 cm 80 cm	53,9 inch 31,5 inch	CABLE LENGTH Up to 200 cm 78,7 inch LIGHTSOURCE	FINISH Aluminium Black	•	TYPE.NR 14-15310-1 14-15310-6
CAN	NOPY		9x led, 4.6W, 2700K, 3384	Brass		14-15310-2
Ø	25 cm	9,8 inch	LM	Bronze		14-15310-5
Н	5,5 cm	2,2 inch	KG KG	White		14-15310
			10 12 57x57x57cm			

 ${\it STANDARD} \ \ {\it The fixture is supplied with driver.} \ {\it Leading and trailing edge dimmable.}$




SPARKS P04 by Daniel Becker

There are many preconfigured standard models and sets of Sparks suspension or Sparks wall lamp for the basic needs. Every module can be rotated freely in 360°, making the whole system easily adaptable to every possible situation. Assembling is easy due to the prewired modules that can be plugged together:




SPARKS P05 by Daniel Becker

There are many preconfigured standard models and sets of Sparks suspension or Sparks wall lamp for the basic needs. Every module can be rotated freely in 360°, making the whole system easily adaptable to every possible situation. Assembling is easy due to the prewired modules that can be plugged together.



L H W	300 cm 80 cm 100 cm	118,1 inch 31,5 inch 39,4 inch	LIGHTSOURCE 10x led, 4.6W, 2700K, 3760 LM	FINISH Aluminium Black Brass Bronze	TYPE.NR 14-15200-1 14-15200-6 14-15200-2 14-15200-5
L	35 cm	13,8 inch	10 12 57x57x57cm	White	14-15200-3
H	5 cm 10 cm	2,0 inch 3,9 inch			

STANDARD The fixture is supplied with driver. Leading and trailing edge dimmable.




SPARKS W01 by Daniel Becker

There are many preconfigured standard models and sets of Sparks suspension or Sparks wall lamp for the basic needs. Every module can be rotated freely in 360°, making the whole system easily adaptable to every possible situation. Assembling is easy due to the prewired modules that can be plugged together:

DIM	Ensions		LIGHTSOURCE	FINISH	TYPE.NR
L	110 cm	43,3 inch	7× led, 4.6W, 2700K, 2632	Aluminium	14-15305-1
H	180 cm 90 cm	70,9 inch 35.4 inch	LM, CRI>90	Black	14-15305-6
VV	70 CIII	33,T IIICII		Brass	14-15305-2
CAN	NOPY			Bronze	14-15305-5
L	35 cm	13,8 inch		White	14-15305
Н	5 cm	2,0 inch		VVIIIC	0 11-15505
W	10 cm	3,9 inch			

STANDARD The fixture is supplied with driver. Leading and trailing edge dimmable.



SPARKS W02 by Daniel Becker

There are many preconfigured standard models and sets of Sparks suspension or Sparks wall lamp for the basic needs. Every module can be rotated freely in 360°, making the whole system easily adaptable to every possible situation. Assembling is easy due to the prewired modules that can be plugged together:

L H W	I20 cm 240 cm 90 cm	47,2 inch 94,5 inch 35,4 inch	LIGHTSOURCE 9× led, 4.6W, 2700K, 3384 LM, CRI>90	FINISH Aluminium Black Brass	TYPE.NR 14-15306-1 14-15306-6 14-15306-2
CAN	10PY		ro	Bronze	14-15306-5
L	35 cm	13,8 inch	18 57×57×57cm	White	14-15306
H	5 cm	2,0 inch		, , , i i i c	11-13300
W	10 cm	3,9 inch			

H

SPARKS W03 by Daniel Becker

There are many preconfigured standard models and sets of Sparks suspension or Sparks wall lamp for the basic needs. Every module can be rotated freely in 360°, making the whole system easily adaptable to every possible situation. Assembling is easy due to the prewired modules that can be plugged together.


DIM	ensions		LIGHTSOURCE	FINISH	TYPE.NR
L	170 cm	66,9 inch	11×100 , 4.6W, 2700K,	Aluminium	14-15312-1
Н	260 cm	102,4 inch	4136 LM, CRI>90	Black	14-15312-6
W	90 cm	35,4 inch		Brass	14-15312-2
CAN	NOPY		KG	Bronze	14-15312-5
L	35 cm	13,8 inch	19 57×57×57cm	White	0 14-15312
Н	5 cm	2,0 inch		VVIIIC	0 11-13312

STANDARD The fixture is supplied with driver. Leading and trailing edge dimmable.

3,9 inch

10 cm

10 cm




SPARKS W05 by Daniel Becker

There are many preconfigured standard models and sets of Sparks suspension or Sparks wall lamp for the basic needs. Every module can be rotated freely in 360°, making the whole system easily adaptable to every possible situation. Assembling is easy due to the prewired modules that can be plugged together.

DIMI	NSIONS		LIGHTS	OURCE	FINISH	TYPE.NR
L	190 cm	74,8 inch		4.6W, 2700K,	Aluminium	14-15313-1
H	334 cm	136,3 inch	5640 LM	I, CRI>90	Black	14-15313-6
VV	90 cm	35,4 inch	رم [ج	CG/	Brass	14-15313-2
CANOPY		KG KG		Bronze	14-15313-5	
L H	35 cm	13,8 inch 2.0 inch	17 1	9 57×57×57cm	White	14-15313
П	5 cm	Z,U Inch				

STANDARD The fixture is supplied with driver. Leading and trailing edge dimmable.


3,9 inch



SPARKS W06 by Daniel Becker

There are many preconfigured standard models and sets of Sparks suspension or Sparks wall lamp for the basic needs. Every module can be rotated freely in 360°, making the whole system easily adaptable to every possible situation. Assembling is easy due to the prewired modules that can be plugged together.

DIMI	-17210172		LIGH	1500	JRCE	HINISH	TYPE.NR
L	259 cm	101,2 inch			5W, 2700K,	Aluminium	14-15314-1
Н	325 cm	127,9 inch	6392	LM, C	CRI>90	Black	14-15314-6
W	90 cm	35,4 inch					
			KG KG			Brass	14-15314-2
CANOPY		KG KG		Bronze	14-15314-5		
L	35 cm	13,8 inch	21	23	57x57x57cm	White	14-15314
Н	5 cm	2,0 inch				VVIIICE	1113311
W	10 cm	3,9 inch					



SPARKS W07 by Daniel Becker


There are many preconfigured standard models and sets of Sparks suspension or Sparks wall lamp for the basic needs. Every module can be rotated freely in 360°, making the whole system easily adaptable to every possible situation. Assembling is easy due to the prewired modules that can be plugged together.

L H	I 88 cm 530 cm	74,0 inch 208,6 inch	19× 16	TSOURCE ed, 4.6W, 2700K, LM, CRI>90	FINISH Aluminium Black	•	TYPE.NR 14-15315-1 14-15315-6
W	90 cm	35,4 inch	KG	KG	Brass	•	14-15315-2
CANOPY		/ KG		Bronze		14-15315-5	
L	35 cm	13,8 inch	24	26 57x57x57cm	White		14-15315
Н	5 cm	2,0 inch			VVIIICE		1 1-13313
W	10 cm	3,9 inch					

STANDARD The fixture is supplied with driver. Leading and trailing edge dimmable.

SPARKS DOUBLE by Daniel Becker

Wall lamp to complete the Sparks family.





DIMENSIONS
L 22,5 cm 8,9 inch
H 33 cm 13,0 inch
W 19 cm 7,5 inch


CANOPY
L 10 cm 3,9 inch
H 16 cm 6,3 inch

LIGHTSOURCE FINISH TYPE.NR I× led, 4.6W, 2700K, 14-15100-1 Aluminium 376LM 14-15100-6 Black 14-15100-2 Brass KG KG 14-15100-5 Bronze 34×34×17cm White 14-15100

STANDARD The fixture is supplied with driver. Leading and trailing edge dimmable.

SPARKS TRIPLE by Daniel Becker

Wall lamp to complete the Sparks family.





DIMENSIONS
L 27 cm 10,6 inch
H 34 cm 13,4 inch
W 29 cm 11,4 inch

CANOPY
L 10 cm 3,9 inch
H 16 cm 6,3 inch

I x led, 4.6W, 2700K, 376LM

OKG
KG

X 4 34×34×34cm

LIGHTSOURCE