ECLIPSE COMPOSITION 68 by Jan Pauwels

The circle of light. Versatile rings that allow you to create the composition you like. Thanks to the freedom of number; size, distance and angle between the rings, each installation will be unique. The Eclipse with its chip on board LEDS has a different look and feel then the Citadel.

DIMENSIONS

CABLE LENGTH

FINISH

TYPE.NR



STANDARD The fixture is supplied with lamps. Black canopy with cover plate in matching colour of the fixture. Leading and trailing edge dimmable. Nickel, natural brass or blackened natural brass. Brass will turn darker in time and can show stains.

OPTIONAL 2400K or 3000K led.

H

Ø

ECLIPSE COMPOSITION 83 by Jan Pauwels

The circle of light. Versatile rings that allow you to create the composition you like. Thanks to the freedom of number, size, distance and angle between the rings, each installation will be unique. The Eclipse with its chip on board LEDS has a different look and feel then the Citadel.



STANDARD The fixture is supplied with lamps. Black canopy with cover plate in matching colour of the fixture. Leading and trailing edge dimmable. Nickel, natural brass or blackened natural brass.

Brass will turn darker in time and can show stains.



The circle of light. Versatile rings that allow you to create the composition you like. Thanks to the freedom of number, size, distance and angle between the rings, each installation will be unique. The Eclipse with its chip on board LEDS has a different look and feel then the Citadel.



DIMENSIONS			CABLE LENGTH	FINISH	TYPE.NR
Ø		37,8 inch 2.0 inch	Up to 150 cm 59,1 inch	Black Brass	● 11-8212-4E
	3 6111	2,0 111011	LIGHTSOURCE	Brass	■ 11-8212-2E
			60x led, 12V/0.6W, 2800K, 1800 LM	Nickel	■ 11-8212-1E
			KG KG		
			1 13 106×106×7cm		

STANDARD The fixture is supplied with lamps. Black canopy with cover plate in matching colour of the


fixture. Leading and trailing edge dimmable. Nickel, natural brass or blackened natural brass.

Brass will turn darker in time and can show stains.

OPTIONAL 2400K or 3000K led.

ECLIPSE COMPOSITION 118 by Jan Pauwels

The circle of light. Versatile rings that allow you to create the composition you like. Thanks to the freedom of number, size, distance and angle between the rings, each installation will be unique. The Eclipse with its chip on board LEDS has a different look and feel then the Citadel.






 $\hbox{STANDARD} \ \ \hbox{The fixture is supplied with lamps. Black canopy with cover plate in matching colour of the}$

fixture. Leading and trailing edge dimmable. Nickel, natural brass or blackened natural brass.

Brass will turn darker in time and can show stains.

OPTIONAL 2400K or 3000K led.

ECLIPSE COMPOSITION 140 by Jan Pauwels



The circle of light. Versatile rings that allow you to create the composition you like. Thanks to the freedom of number, size, distance and angle between the rings, each installation will be unique. The Eclipse with its chip on board LEDS has a different look and feel then the Citadel.



STANDARD The fixture is supplied with lamps. Black canopy with cover plate in matching colour of the

fixture. Leading and trailing edge dimmable. Nickel, natural brass or blackened natural brass. Brass will turn darker in time and can show stains.



Ø

ECLIPSE COMPOSITION 160 by Jan Pauwels

The circle of light. Versatile rings that allow you to create the composition you like. Thanks to the freedom of number, size, distance and angle between the rings, each installation will be unique. The Eclipse with its chip on board LEDS has a different look and feel then the Citadel.


DIMENSIONS TYPE.NR CABLE LENGTH FINISH 160 cm 0 63,0 inch Up to 150 cm 59,1 inch 11-8215-4E Black Brass 5 cm 2.0 inch LIGHTSOURCE 11-8215-2E Brass 100x led, 12V/0.6W, 11-8215-1E Nickel 2800K, 3000 LM KG KG 3 21 166×166×7cm

STANDARD The fixture is supplied with lamps. Black canopy with cover plate in matching colour of the

fixture. Leading and trailing edge dimmable. Nickel, natural brass or blackened natural brass.

Brass will turn darker in time and can show stains.

OPTIONAL 2400K or 3000K led.



ECLIPSE COMPOSITION 180 by Jan Pauwels

The circle of light. Versatile rings that allow you to create the composition you like. Thanks to the freedom of number, size, distance and angle between the rings, each installation will be unique. The Eclipse with its chip on board LEDS has a different look and feel then the Citadel.



 ${\sf STANDARD} \quad {\sf The fixture is supplied with lamps. Black canopy with cover plate in matching colour of the} \\$

fixture. Leading and trailing edge dimmable. Nickel, natural brass or blackened natural brass.

Brass will turn darker in time and can show stains.

OPTIONAL 2400K or 3000K led.

ECLIPSE COMPOSITION 200 by Jan Pauwels

The circle of light. Versatile rings that allow you to create the composition you like. Thanks to the freedom of number, size, distance and angle between the rings, each installation will be unique. The Eclipse with its chip on board LEDS has a different look and feel then the Citadel.



STANDARD The fixture is supplied with lamps. Black canopy with cover plate in matching colour of the fixture. Leading and trailing edge dimmable. Nickel, natural brass or blackened natural brass.

Brass will turn darker in time and can show stains.



ECLIPSE COMPOSITION SET 96, 83, 68 WITH DRIVER 100W by Jan Pauwels

The circle of light. Versatile rings that allow you to create the composition you like. Thanks to the freedom of number, size, distance and angle between the rings, each installation will be unique. The Eclipse with its chip on board LEDS has a different look and feel then the Citadel.


DIMENSIONS CABLE LENGTH FINISH TYPE.NR Ø 96 cm 37,8 inch Up to 150 cm 59,1 inch Black Brass CANOPY LIGHTSOURCE Brass 0 30 cm 11,8 inch 156x led, 12V/0.6W, Nickel Н 5 cm 2,0 inch 2800K, 4680 LM KG 3 15 106×106×7cm

STANDARD The fixture is supplied with lamps. Black canopy with cover plate in matching colour of the

fixture. Leading and trailing edge dimmable. Nickel, natural brass or blackened natural brass.

Brass will turn darker in time and can show stains.

OPTIONAL 2400K or 3000K led.



Ø

ECLIPSE COMPOSITION SET 83, 96, 68 WITH DRIVER 100W by Jan Pauwels


The circle of light. Versatile rings that allow you to create the composition you like. Thanks to the freedom of number, size, distance and angle between the rings, each installation will be unique. The Eclipse with its chip on board LEDS has a different look and feel then the Citadel.



STANDARD The fixture is supplied with lamps. Black canopy with cover plate in matching colour of the fixture. Leading and trailing edge dimmable. Nickel, natural brass or blackened natural brass.

Brass will turn darker in time and can show stains.

OPTIONAL 2400K or 3000K led.




ECLIPSE COMPOSITION SET 96, 140, 96 WITH DRIVER 200W by Ian Pauwels

The circle of light. Versatile rings that allow you to create the composition you like. Thanks to the freedom of number, size, distance and angle between the rings, each installation will be unique. The Eclipse with its chip on board LEDS has a different look and feel then the Citadel.



STANDARD The fixture is supplied with lamps. Black canopy with cover plate in matching colour of the fixture. Leading and trailing edge dimmable. Nickel, natural brass or blackened natural brass.

Brass will turn darker in time and can show stains.



ECLIPSE COMPOSITION SET 200, 160, 118 WITH DRIVER 200W by Jan Pauwels

The circle of light. Versatile rings that allow you to create the composition you like. Thanks to the freedom of number, size, distance and angle between the rings, each installation will be unique. The Eclipse with its chip on board LEDS has a different look and feel then the Citadel.


DIMENSIONS CABLE LENGTH FINISH TYPE.NR 200 cm 78,7 inch Up to 150 cm 59,1 inch Black Brass CANOPY LIGHTSOURCE Brass 301x led, 12V/0.6W, 0 30 cm 11,8 inch Nickel 2800K, 9030 LM Н 5 cm 2,0 inch KG KG 33 206×206×7cm 2.5 34×34×17cm

STANDARD The fixture is supplied with lamps. Black canopy with cover plate in matching colour of the

fixture. Leading and trailing edge dimmable. Nickel, natural brass or blackened natural brass.

Brass will turn darker in time and can show stains.

OPTIONAL 2400K or 3000K led.



ECLIPSE COMPOSITION SET 160, 96, 118, 96, 68 WITH DRIVER 300W by Jan Pauwels


The circle of light. Versatile rings that allow you to create the composition you like. Thanks to the freedom of number, size, distance and angle between the rings, each installation will be unique. The Eclipse with its chip on board LEDS has a different look and feel then the Citadel.



STANDARD The fixture is supplied with lamps. Black canopy with cover plate in matching colour of the fixture. Leading and trailing edge dimmable. Nickel, natural brass or blackened natural brass.


Brass will turn darker in time and can show stains.

OPTIONAL 2400K or 3000K led.



ECLIPSE COMPOSITION SET 68, 83, 96, 68, 83 WITH DRIVER 200W by lan Pauwels

The circle of light. Versatile rings that allow you to create the composition you like. Thanks to the freedom of number, size, distance and angle between the rings, each installation will be unique. The Eclipse with its chip on board LEDS has a different look and feel then the Citadel.



STANDARD The fixture is supplied with lamps. Black canopy with cover plate in matching colour of the fixture. Leading and trailing edge dimmable. Nickel, natural brass or blackened natural brass. Brass will turn darker in time and can show stains.

ECLIPSE COMPOSITION DRIVER 30W by Jan Pauwels

Pay attention of ordering one of these drivers to complete the order of Eclipse rings.



CANOPY
Ø 20 cm 7,9 inch
H 5 cm 2,0 inch

CABLE LENGTH
Up to 150 cm 59,1 inch

KG
KG

1,5 2 34x34x17cm

 FINISH
 TYPE.NR

 Black Brass
 • 11-8273-4

 Brass
 • 11-8273

 Nickel
 • 11-8273-1

STANDARD The fixture is supplied with lamps. Black canopy with cover plate in matching colour of the fixture. Leading and trailing edge dimmable. Nickel, natural brass or blackened natural brass. Brass will turn darker in time and can show stains.

ECLIPSE COMPOSITION DRIVER 60W by Jan Pauwels

Pay attention of ordering one of these drivers to complete the order of Eclipse rings.



CANOPY
Ø 25 cm 9,8 inch
H 5 cm 2,0 inch

CABLE LENGTH
Up to 150 cm 59,1 inch

CKG
KG
2,5 3 34x34x17cm

FINISH TYPE.NR

Black Brass II-8274-4

Brass II-8274

Nickel II-8274-1

STANDARD The fixture is supplied with lamps. Black canopy with cover plate in matching colour of the fixture. Leading and trailing edge dimmable. Nickel, natural brass or blackened natural brass. Brass will turn darker in time and can show stains.

ECLIPSE COMPOSITION DRIVER 100W by Jan Pauwels

Pay attention of ordering one of these drivers to complete the order of Eclipse rings.



CANOPY
Ø 30 cm | 11,8 inch
H 5 cm 2,0 inch

CABLE LENGTH
Up to 150 cm 59,1 inch

KG KG

2,5 3 34x34x17cm

STANDARD The fixture is supplied with lamps. Black canopy with cover plate in matching colour of the fixture. Leading and trailing edge dimmable. Nickel, natural brass or blackened natural brass. Brass will turn darker in time and can show stains.

ECLIPSE COMPOSITION DRIVER 200W by Jan Pauwels

Pay attention of ordering one of these drivers to complete the order of Eclipse rings.



CANOPY CABLE LENGTH FINISH TYPE.NR Ø 35,5 cm 14,0 inch Up to 150 cm 59,1 inch Black Brass 11-8276-4 6,5 cm 2,6 inch 11-8276 Brass Nickel 11-8276-1 2,5 3 34×34×17cm

STANDARD The fixture is supplied with lamps. Black canopy with cover plate in matching colour of the fixture. Leading and trailing edge dimmable. Nickel, natural brass or blackened natural brass. Brass will turn darker in time and can show stains.

ECLIPSE COMPOSITION DRIVER 300W by Jan Pauwels


Pay attention of ordering one of these drivers to complete the order of Eclipse rings.



CANOPY CABLE LENGTH FINISH TYPE.NR Ø 35.5 cm Up to 150 cm 59,1 inch 14,0 inch Black Brass 11-8272-4 8,5 cm 3,3 inch Brass 11-8272 KG Nickel 11-8272-1 2.5

3 34x34x17cm

STANDARD The fixture is supplied with lamps. Black canopy with cover plate in matching colour of the fixture. Leading and trailing edge dimmable. Nickel, natural brass or blackened natural brass. Brass will turn darker in time and can show stains.



ECLIPSE SINGLE 68 by Jan Pauwels

The easy to order single version of Eclipse. During installation you can choose whether the rings will be perfectly horizontal or in a more inclined way. The suspension cables will also pass the current. Leading and trailing edge dimmable.

DIM	ENSIONS		CABLE LENGTH	FINISH	TYPE.NR
Ø H	68 cm 5 cm	26,8 inch 2,0 inch	Up to 150 cm 59,1 inch	Black Brass	■ 11-8220-4E
1.1	3 (11)	2,0 111011	LIGHTSOURCE	Brass	■ 11-8220-2E
F 3.7	NOPY	79 in ab	44x led, 12V/0.6W, 2800K, 1320 I M	Nickel	■ 11-8220-1E
Ø H	20 cm 5 cm	7,9 inch 2,0 inch	1320 LI*I		
			KG KG		
			3		

STANDARD The fixture is supplied with lamps. Black canopy with cover plate in matching colour of the fixture. Leading and trailing edge dimmable. Nickel, natural brass or blackened natural brass. Brass will turn darker in time and can show stains.



ECLIPSE SINGLE 83 by Jan Pauwels

The easy to order single version of Eclipse. During installation you can choose whether the rings will be perfectly horizontal or in a more inclined way. The suspension cables will also pass the current. Leading and trailing edge dimmable.


	Ensions		CABLE LENGTH	FINISH	TYPE.NR
Ø H	83 cm 5 cm	32,7 inch 2.0 inch	Up to 150 cm 59,1 inch	Black Brass	● 11-8221-4E
		2,0 111011	LIGHTSOURCE	Brass	● 11-8221-2E
CAN Ø	NOPY 25 cm	9,8 inch	52× led, 12V/0.6W, 2800K, 1560 LM	Nickel	■ 11-8221-IE
Н	5 cm	2,0 inch	KG KG		
			3		

 ${\it STANDARD} \ \ \, {\it The fixture is supplied with lamps.} \, {\it Black canopy with cover plate in matching colour of the} \, \,$

fixture. Leading and trailing edge dimmable. Nickel, natural brass or blackened natural brass.

Brass will turn darker in time and can show stains.

OPTIONAL 2400K or 3000K led.



ECLIPSE SINGLE 96 by Jan Pauwels

The easy to order single version of Eclipse. During installation you can choose whether the rings will be perfectly horizontal or in a more inclined way. The suspension cables will also pass the current. Leading and trailing edge dimmable.


DIMI Ø H	NSIONS 96 cm 5 cm	37,8 inch 2,0 inch	CABLE LENGTH Up to 150 cm 59,1 inch	FINISH Black Brass	TYPE.NR 11-8222-4E
2.071		_,	LIGHTSOURCE	Brass	■ 11-8222-2E
	IOPY		60x led, 12V/0.6W, 2800K,	Nickel	■ 11-8222-1F
Ø	25 cm	9,8 inch	1800 LM	TAICICO	0 11 0222 12
Н	5 cm	2,0 inch	KG KG		
			4 14 106×106×7cm 2,5 3 34×34×17cm		

STANDARD The fixture is supplied with lamps. Black canopy with cover plate in matching colour of the

fixture. Leading and trailing edge dimmable. Nickel, natural brass or blackened natural brass.

Brass will turn darker in time and can show stains.

OPTIONAL 2400K or 3000K led.



ECLIPSE SINGLE 118 by Jan Pauwels

The easy to order single version of Eclipse. During installation you can choose whether the rings will be perfectly horizontal or in a more inclined way. The suspension cables will also pass the current. Leading and trailing edge dimmable.



 ${\sf STANDARD} \quad \text{The fixture is supplied with lamps. Black canopy with cover plate in matching colour of the} \\$

fixture. Leading and trailing edge dimmable. Nickel, natural brass or blackened natural brass.

Brass will turn darker in time and can show stains.



0

ECLIPSE SINGLE 140 by Jan Pauwels

The easy to order single version of Eclipse. During installation you can choose whether the rings will be perfectly horizontal or in a more inclined way. The suspension cables will also pass the current. Leading and trailing edge dimmable.

DIM Ø H	ENSIONS 140 cm 5 cm	55,1 inch 2,0 inch
CAN Ø H	NOPY 25 cm 5 cm	9,8 inch 2,0 inch


CABLE LENGTH	FINISH	TYPE.NR
Up to 150 cm 59,1 inch	Black Brass	■ 11-8224-4E
LIGHTSOURCE	Brass	■ 11-8224-2E
88× led, 12V/0.6W, 2800K, 2640 LM	Nickel	■ 11-8224-1E
KG KG		
6 21 146×146×7cm 2,5 3 34×34×17cm		

STANDARD The fixture is supplied with lamps. Black canopy with cover plate in matching colour of the

fixture. Leading and trailing edge dimmable. Nickel, natural brass or blackened natural brass.

Brass will turn darker in time and can show stains.

OPTIONAL 2400K or 3000K led.



ECLIPSE SINGLE 160 by Jan Pauwels

The easy to order single version of Eclipse. During installation you can choose whether the rings will be perfectly horizontal or in a more inclined way. The suspension cables will also pass the current. Leading and trailing edge dimmable.


DIM	ENSIONS		CABLE LENGTH	FINISH	TYPE.NR
Ø	160 cm	63,0 inch	Up to 150 cm 59,1 inch	Black Brass	● 11-8225-4E
Н	5 cm	2,0 inch	LIGHTSOURCE	Brass	■ 11-8225-2E
	NOPY		100x led, 12V/0.6VV,	Nickel	■ 11-8225-1F
Ø	25 cm	9,8 inch	2800K, 3000 LM		
Н	5 cm	2,0 inch	KG KG		
			7 25 166×166×7cm 2,5 3 34×34×17cm		

 $\hbox{STANDARD}\quad\hbox{The fixture is supplied with lamps. Black canopy with cover plate in matching colour of the}$

fixture. Leading and trailing edge dimmable. Nickel, natural brass or blackened natural brass.

Brass will turn darker in time and can show stains.

OPTIONAL 2400K or 3000K led.



ECLIPSE SINGLE 180 by Jan Pauwels

The easy to order single version of Eclipse. During installation you can choose whether the rings will be perfectly horizontal or in a more inclined way. The suspension cables will also pass the current. Leading and trailing edge dimmable.



STANDARD The fixture is supplied with lamps. Black canopy with cover plate in matching colour of the fixture. Leading and trailing edge dimmable. Nickel, natural brass or blackened natural brass.

Brass will turn darker in time and can show stains.

ECLIPSE SINGLE 200 by Jan Pauwels

The easy to order single version of Eclipse. During installation you can choose whether the rings will be perfectly horizontal or in a more inclined way. The suspension cables will also pass the current. Leading and trailing edge dimmable.



DIM Ø H	ENSIONS 200 cm 5 cm	78,8 inch 2,0 inch
Ø	NOPY 30 cm	11,8 inch
Н	5 cm	2,0 inch



 ${\sf STANDARD} \ \ {\sf The\ fixture\ is\ supplied\ with\ lamps.}\ {\sf Black\ canopy\ with\ cover\ plate\ in\ matching\ colour\ of\ the}$

fixture. Leading and trailing edge dimmable. Nickel, natural brass or blackened natural brass. Brass will turn darker in time and can show stains.